

*INDEX MAPS.*

**T.6 N° R. 3 W 2<sup>nd</sup> Mer.**

	329	329	329	328	328	328
331	6 351	5 351	4 351	3 351	2 351	1 327
	349-	349	345	342	340	335
331	7 348	8 345	9 341	10 340	11 334	12 327
	349	348	344	341	340	334
331	18 348	17 344	16 341	15 339	14 334	13 327
	350	347	344	339	337	333
330	19 347	20 343	21 339	22 337	23 333	24 326
	350	346	343	338	336	333
331	30 346	29 343	28 338	27 336	26 332	25 326
	350	346	342	338	336	332
330	31 345	32 342	33 337	34 335	35 332	36 326
	323-325	323-325	323-324	323-324	323-324	324

**T.7 N° R. 3 W 2<sup>nd</sup> Mer.**

	361	360	360	359	359	359
362	6 381	5 378	4 374	3 370	2 367	1 358
	381	381	377	374	370	366
362	7 381	8 377	9 373	10 370	11 366	12 358
	382	380	377	373	369	365
362	18 380	17 376	16 373	15 369	14 365	13 358
	382	380	376	372	368	365
361	19 379	20 376	21 372	22 368	23 364	24 357
	382	379	375	372	368	364
361	30 379	29 375	28 371	27 368	26 364	25 357
	383	378	375	371	367	363
361	31 378	32 374	33 371	34 367	35 363	36 357
	356	356	356	355	355	355

(1) The figures on the lines refer to the page.

Township No. 6. North of Range No. 3 West of the 2nd Mer. And

Ch. Ch.

South Boundary

East	On a Random line onto South Boundary of sec. 31. T. N. 6 R.R. N. 37T.
24.77	To a Brook 10 links wide, comes S.
40.00	Set a temporary post for the cor. of 1/4 sec.
71.50	To a Brook. 12 links wide, comes S.W.
80.00	Set a temporary post for the cor. of sec. 31 & 33. Lands hilly;

East	On a Random line onto South Boundary of sec. 32. T. N. 6. R.R. N. 37T.
40.00	Set a temporary post for the cor. of 1/4 sec.
47.00	To a Brook 10 links wide, comes S.W.
80.00	Set a temporary post for the cor. of sec. 32 & 33. Lands hilly; Some Oak, & Hick.

East	On a Random line onto South Boundary of sec. 33. T. N. 6. R.R. N. 37T.
40.00	Set a temporary post for the cor. of 1/4 sec.
79.50	To a Brook. 12 links wide, comes S.E.
80.00	Set a temporary post for the cor. of sec. 33 & 34. Lands poor and timber same as last mile.

East	On a Random line onto South Boundary of sec. 34. T. N. 6. R.R. N. 37T.
40.00	Set a temporary post for the cor. of 1/4 sec.
80.00	" " " " " " Sec. 34 & 35 Lands poor and timber same as last mile.

East	On a Random line onto South Boundary of sec. 35. T. N. 6. R.R. N. 37T.
35.50	To a Brook 10 links wide, comes North.
40.00	Set a temporary post for the cor. of 1/4 sec.

## P N C. N. R. No 3 Y. 2nd M. Ind.

80.00 Set a temp't post for the cor. of sec. 35 & 36.  
Sand soil and timber same as last mile.

**East** On a Random line On the South Boundary of sec. 36.  
T. N. 6. M. R. N. 3 T. Var. T. 15'

40.00 Set a temp't post for the cor. of 1/4 ac.

41.00 To a Brook - the mid. Curve S.

81.78 Intersect the Atch Range line. South of the cor. of  
T. 5. S. 5. 36. C. M. R. N. 2 T. 3 T. Var. T. 15'  
Sand soil and timber same as last mile.

**West** On the tree line On the South Boundary of sec. 36.  
T. N. 6. M. R. N. 3 T. Var. T. 15'

40.00 Set the temp't post on the tree line for the cor. of 1/4 ac.  
from which a Pin Oak 8 in. dia. bears N 60° E 24 lbs dbh  
and a Poplar 7 in. dia. bears N 60° E 24 lbs dbh

80.00 Set the temp't post on the tree line for the cor. of sec. 35 & 36  
from which a Poplar 7 in. dia. bears N 60° E 24 lbs dbh  
and a Sugar 10 in. " " S 33° W. 28 " "

**West** On the tree line On the South Boundary of sec. 35.  
T. N. 6. M. R. N. 3 T. Var. T. 15'

40.00 Set the temp't post on the tree line for the cor. of 1/4 ac.  
from which a W. Oak 12 in. dia. bears East. 33 lbs dbh  
and a Sugar 8 in. " " " "

81.00 Set the temp't post on the tree line for the cor. of sec. 34 & 35  
from which a W. Oak 12 in. dia. bears N 45° E. 17 lbs dbh  
and a Hoc 8 in. " " West - " "

**West** On the tree line On the South Boundary of sec. 34.  
T. N. 6. M. R. N. 3 T. Var. T. 15'

40.00 Set the temp't post on the tree line for the cor. of 1/4 ac. from  
which a W. Oak 10 in. dia. bears S 68° E. 14 lbs dbh;

S. N. C. M. P. N. 3 YR. 2nd Mar. Ind?

80.00 made a Dogwood. 6 in dia. tree N 35° W 18 lks dbh;  
Set the traps open on the tree line for the cor. of sec. 33 & 34  
from which a W. Oak - in. dia. bears S 84° E. 26 lks dbh  
made a W. Oak - " " " S 36° W. 5 " "

West On the tree line On the South Boundary of sec. 33.

S. N. C. M. P. N. 3 YR.

40.00 Set the traps open on the tree line for the cor. of 44 sec.  
from which a Gum 12 in. dia. bears S 67° E. 34 lks dbh  
made a Dogwood 6 in. " " S 16° W. 5 " "  
80.00 Set the traps open on the tree line for the cor. of sec. 33 & 33  
from which a W. Oak - in. dia. bears S 75° E. 31 lks dbh  
made a Llo. 12 " " S 36° W. 6 " "

West On the tree line On the South Boundary of sec. 32.

S. N. C. M. P. N. 3 YR.

40.00 Set the traps open on the tree line for the cor. of 44 sec.  
from which a W. Oak 12 in. dia. bears N 37° E. 15 lks dbh;  
made a Hickory 8 " " S 48° E. 11 " "  
80.00 Set the traps open on the tree line for the cor. of sec. 31 & 32  
from which a Gum 6 in. dia. bears S 84° E. 5 lks dbh  
made a W. Oak 10 " " S 30° W. 19 " "

West On the tree line On the South Boundary of sec. 31.

S. N. C. M. P. N. 3 YR.

40.00 Set the traps open on the tree line for the cor. of 44 sec.  
from which a W. Oak 12 in. dia. bears S 75° E. 15 lks dbh  
made a Hickory 12 " " S 80° E. 43 " "  
81.78 Both cor. of S. N. C. M. P. N. 3 YR. 31 & 47 R.

### East Boundary.

South Eastern Range 2d 3rd West S. C. M. P. N. 6 miles  
13 chl. fell 18 chains West of Henry's Farm Cor.

## J. N. C. A. R. No 37. 2nd Mar. 1811.

North	On the East Boundary of Sec. 36. J. N. C. A. R. No 37.
21.00	To a Brook 200 links wide, Course S. E. Kept up the Creek over the meadow
37.00	Lift the creek to the West.
40.00	Set a post for the cor. of $\frac{1}{4}$ ac. from which a Buck 14 in deer horns \$64 77. 16 links west; & a Paddock 8 " " A 44 E. 5 " "
60.00	To a W. Oak. 24 in deer horns in the line.
80.00	Set a post for the cor. of sec. 25 136 from which a Buck 36 in deer horns \$85 97. 14 links west; & a Ld" 14 " " \$81 8. 20 "

Apr. 6. 1811.

North	On the East Boundary of sec. 25 J. N. C. A. R. No 37.
30.00	To a Spring Course West
40.00	Set a post for the cor. of $\frac{1}{4}$ ac. from which a Gum 30 in deer horns \$12 E. 10 links west; & a Buck. 18 " " A 47 24 " "
64.50	To a Buck 10 in deer in the line.
80.00	Set a post for the cor. of sec. 24 25 from which a Elm 16 in deer horns A 25 E. 4 links west; & a Sugar " " \$84 97. 15 " " Holly Oak. Same. —

North	On the East Boundary of sec. 24. J. N. C. A. R. No 37.
2.00	To a Brook 5 links wide, Course West
16.50	" " W. Oak. 18 in deer in the line
40.00	Set a post for the cor. of $\frac{1}{4}$ ac. from which a W. Oak. 36 in deer horns A 44 E. 22 links west; & a Buck. 15 " " \$43 77. 33 " "
62.00	To a Creek 150 links wide, Course S. W.
80.00	Set a post for the cor. of sec. 13 & 24 from which a Elm 16 in deer horns A 37 77. 25 links west; &

T.N. 6. M.R. N. 3 W. 2<sup>nd</sup> Mer. Land.

Sugar 9 in. dia. tree \$27 E. 57 hanks ash;  
Holly Oak land.

North On the East Boundary of sec. 13. T. N. 6. M.R. N. 3 W.  
5.00 To a Spring. Come S.W.  
40.00 Set a post in the cor. of 1/4 ac. from which a  
Buck 13 in dia. tree \$68 E. 10 hanks ash; and a  
Pine 16 " " 148 ft. 8 " "  
44.00 To a Creek 150 yards, come S.E.  
50.00 To a Cherry 36 in dia. tree in the line.  
80.00 Set a post in the cor. of sec. 12 & 13 from which a  
Sugar 16 in. dia. tree \$17 ft. 9 hanks ash; and a  
Buck 6 " " 115 ft. 23 " "  
Due to 1st 1/2 Holly Oak land; 2nd 1/2 Good land  
Timber Sugar, Buck & Oak.

North On the East Boundary of sec. 12. T. N. 6. M.R. N. 3 W.  
25.00 Frank Brook 4 miles away, Come Fresh  
30.00 " " 10 ft. 6 " " 2 ft.  
40.00 Set a post in the cor. of 1/4 ac. from which a  
Buck 9 in. dia. tree \$27 ft. 11 hanks ash; and a  
Rocky 12 " " 140 ft. 11 " "  
80.00 Set a post in the cor. of sec. 14 & 15 from which a  
Buck 8 in. dia. tree 149 ft. 3 hanks ash; & a  
Pine 6 " " 95 ft. 16 " "  
Due to hilly, timber Oak.

North On the East Boundary of sec. 1 T. N. 6. M.R. N. 3 W.  
4.00 Frank Brook 5 miles away, Come N.  
10.00 " " 10 ft. 3 " " 2 ft.  
40.00 Set a post in the cor. of 1/4 ac. from which a  
St. Oak. 12 in. dia. tree 146 ft. 7 hanks ash; & a  
Sugar 14 " " 89 ft. 17 " "

T. N. 6. T. R. N. 3 YR. 2<sup>nd</sup> Mer. Ind.

79.00	To a Brook 6 miles west, Canna Marsh
81.00	" " 10. 5 " " S. T.
83.00	Fell 15 chains East of the Temp. post. Around it on the cor. of Town 6 & T. N. R. 213 N. from which a W. Oak 40 in. dia. has 820 N. 21 links dist; 10 Sugar 14 " " 15 N. 39 " " Pandabilly; Smaller Oak.

### North Boundary

West	On the South Boundary of lot. 36, T. N. 7. T. R. N. 3 N.
40.00	Set apart on the cor. of 14 ac. from which W. Oak. 8 in. dia. has 865 E. 8 links dist; made a W. Oak 21 " " 145 N. 26 " "
50.00	To a Creek 103 links west, Corner Smith.
80.00	Set apart further on off lot. 35 & 36, from which Buck 12 in. dia. has 829 E. 9 links dist; 10 Sugar 12 " " 15 N. 37 " " Heavily poor Oak woods.

West	On the South Boundary of lot. 35 T. N. 7 T. R. N. 3 N.
38.00	To a Brook 6 miles west, Canna S.
40.00	Set apart further on of 1/4 ac. from which a Hagwood 14 in. dia. has 857 E. 14 links dist; 10 Buck. 4 " " 181 N. 21 " "
80.00	Cross in a Spring to lot. 34 & 35. From which a Buck 14 in. dia. has 850 E. 11 links dist; made a Lg. 9 " " 133 N. 20 " " Good land Oak land.

West	On the South Boundary of lot. 34 T. N. 7 T. R. N. 3 N.
15.00	To a Brook 3 miles west, Canna S.
20.00	" " 10. 11 " " S. E.
40.00	Set apart on the cor. of 14 ac. from which a

S. N. C. RR. N. 3 YR. 2<sup>nd</sup> Mar. (Ind.)

W. Oak 24 in air. bear N 53° W. 20 links dist; to  
 Llo. 18 " " S 74° E. 43 " "  
 70.00 To a Brook 3 miles mid. Conne St.  
 80.00 Set a post for the cor. of sec. 33 & 34 from which a  
 Heel. 7 18 in. air. bear N 67° W. 13 links dist; to  
 W. Oak 16. " " N 73° E. 23 " "  
 Kelly Oak land.

West On the South Boundary of sec. 33. I. N. 7 A.R. N. 3 M  
 25.00 To a Brook 3 miles mid. Conne St.  
 28.75 " " Poplar 36 in. dist. Roads in the line.  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 Heel. 7 18 in. air. bear S 63° N. 9 links dist; to  
 Poplar. 9 " " N 77° E. 12 " "  
 80.00 Set a post for the cor. of sec. 32, 1.33. from which  
 Heel. 7 18 in air. bear N 46° E. 16 links dist; to  
 Buck 12 " " S 30° E. 21 " "  
 Kelly Oak land.

West On the South Boundary of sec. 32 I. N. 7 A.R. N. 3 M  
 34.00 To a K. Oak 24 in. dist. in the line  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 Ash. 6 in. air. bear. S 57° N. 14 links dist; to an  
 Oo. 7 " " N 62° E. 17 " "  
 80.00 Set a post for the cor. of sec. 31 & 32 from which a  
 Sugar. 12 in. air. bear S 49° N. 40 links dist; and to  
 Oo. 9 " " N 23° E. 38 " "  
 Goode Oak. Land. Apr. 8. 1811.

West On the South Boundary of sec. 31. I. N. 7 A.R. N. 3 M  
 0.10 To a Brook 6 links mid. Conne St.  
 35.00 " " Oo. 4 " " Bush  
 40.00 Set a post for the cor. of 1/4 sec. from which a

T. N. 6. M. P. S. N. 2<sup>nd</sup> Mer. Ind.

	Elm 24 in deer-hair \$2977.80 bush; to
	Sugar 9 " " 1238.32 "
44.00	Oak Brook. 25 miles mid., Lemo M.
48.00	" 100. 25, " " S. N.
55.00	" " 25, " " " M. T.
61.00	" " 100. 25, " " " S. N.
68.00	" " 100. 25, " " " M. T.
80.00	Set a trap. Post made out in search of the Range deer but could not find it. Returned to the cor. of farms G. F. J. Rangers. 21377.

## West Boundary.

N. E. 30'

North	South East Bound. of sec. 36 T. N. 6. M. P. S. N. 4 M.
40.00	Set a post on the cor. of 1/4 ac. from which a Dogwood 7 in. deer-hair \$477.40 bush; to Hickory 10 " " 113877.14 "
80.00	Set a post on the cor. of sec. 25, 136 from which a W. Oak. 18 in. deer-hair \$76.13 bush; to W. Oak. 8 " " 864 E. 10, " Sandalwood Limber Oak, Hickory

North	South East Bound. of sec. 25 T. N. 6. M. P. S. N. 4 M.
40.00	Set a post on the cor. of 1/4 ac. of land the cor. on a beam 10 in. deer. "
61.10	Set a W. Oak. 20 in. deer. in the line
80.00	Set a post on the cor. of sec. 24 125 from which a W. Oak. 20 in. deer-hair \$1777.37 bush bush; to Land nothing. Limber Oak & Hickory; Set thin 1 stone

North	South East Bound. of sec. 24 T. N. 6. M. P. S. N. 4 M.
28.50	Oak Brook. 10 miles mid., Lemo M.
40.00	Set a post on the cor. of 1/4 ac. from which Hickory - in deer-hair \$5377.28 bush bush;

I. N<sup>o</sup> 6 N.R. N. 3. W. 2<sup>nd</sup>. Mr. Ind.

80.00 Keep 9 in. dia. tree \$74 N. 42 miles east;  
 Set a post on the cor. of sec. 13 & 14 from which  
 sum 9 in. dia. tree \$87 N. 23 miles east; & a  
 sugar 8 in. " " \$45 E. 11 " "  
 Sand & gravel at last mile.

North On the East Boundary of sec. 13. I. N<sup>o</sup> 6 N.R. N. 4 W.  
 40.00 Set a post on the cor. of 14 & 15. from which a  
 W. Oak 19 in. dia. tree \$41 N. 23 miles east; & a  
 larch 18 " " \$30 E. 15 " "  
 58.25 To a sum 18 in. dia. in the line.  
 80.00 Set a post on the cor. of sec. 12 & 13. from which a  
 W. Oak 21 in. dia. tree \$6 E. 39 miles east; & a  
 larch 10 " " \$30 N. 29 " "  
 Sand & gravel at last mile.

North On the East Boundary of sec. 12. I. N<sup>o</sup> 6 N.R. N. 4 W.  
 28.73 To a Brook 20 ft wide near Nash  
 40.00 Set a post on the cor. of 14 & 15. from which a  
 sugar 8 in. dia. tree \$20 E. 32 miles east; & a  
 Poplar 6 in. " " \$9 E. 7 " "  
 80.00 Set a post on the cor. of sec. 14 & 15 from which a  
 Beech 8 in. dia. tree \$28 E. 4 miles east; & a  
 larch 8 in. " " \$3 E. 28 " "  
 Sand & gravel at last mile but not stony

North On the East Boundary of sec. 1. I. N<sup>o</sup> 6 N.R. N. 4 W.  
 23.60 To a W. Oak 30 in. dia. in the line  
 40.00 Set a post on the cor. of 14 & 15. from which a  
 W. Oak 7 in. dia. tree \$10 E. 28 miles east; & a  
 larch 12 " " \$66 N. 5 " "  
 47.60 To a P. Oak 10 in. dia. stands in the line.  
 81.00 Set a post, cor. of I. N<sup>o</sup> 6 N.R. 304 N. 6 miles from S. 73<sup>rd</sup>

I. N. 6. P. C. R. M. 3147. 2nd. Mr. Secy.

### Subdivisions

North	Between Sec. 35 & 36. I. N. 6. P. C. R. M. 3147 Set a post on the cor. of 1/4 sec. from which a P. Oak. 6 in. dia. bears N 28 E. 37 links dist; 10 Dogwood G. " " N 44 W. 17 " "
80.00	Set a post on the cor. of sec. 25, 26, 35, & 36 from which a Beech. 7 10 in. dia. bears N 10 E. 56 links dist; 10 Dogwood " " N 14 E. 15 " " Same lily, Hick. locb., Juniper Oak, Hairy Poplar. Ash G.

East	On a line due N. between Sec. 25 & 36 I. N. 6. P. C. R. M. 3147 Set a temp. post on the cor. of 1/4 sec.
40.00	To a Brook. 100 links. due, Larch S. W.
70.00	From set the 100th link 1/3 links N. of the post cor. of Sec. 25 & 36. Same as last min.
80.08	

West	On the true line between Sec. 25 & 36 I. N. 6. P. C. R. M. 3147 Set the temp. post on the true line at the avcr. dist for the cor. of 1/4 sec. from which a
40.04	Beech. 20 in. dia. bears N 78 W. 50 links dist; 10 P. Oak. 21 " " S 84 E. 34 " "
80.08	Set the post cor. of sec. 25, 26, 35, & 36

North	Between Sec. 25 & 26. I. N. 6. P. C. R. M. 3147 Set a post on the cor. of 1/4 sec. from which a
40.00	Beech. 10 in. dia. bears North 17 links dist; 10 Sugar. g. " " S 57 W. 11 " "
80.00	Set a post for the cor. of sec. 23, 24, 25 & 26 from which P. Oak. 20 in. dia. bears S 44 W. 28 links dist; 10 Dogwood G. " " N 65 E. 16 " " Same soil and timber same as last min.

## S. N. G. RR. No 3 N. D. Mass. Ind.

**East** Qua Random line between Lst. 24125 S. N. G. RR. 37.  
 40.00 Set a tempt post after the cr. to 1/4 mi.  
 46.00 To a Brook 12 miles mid, corner S.E.  
 72.00 " 100 " " 1/4 S.  
 80.20 Into cut the N & S. line 10 miles South of the Post cr. of  
 Lst. 24125. Sandy very rocky, Timber Oak, Hickory  
 & Birch.

**West** Qua Random line between Lst. 24125 S. N. G. RR. 37.  
 40.10 Set the tempt post on the tree line 1/4 mi. from the cr. to 1/4 mi. at the  
 corner which from which a  
 Sugar 10 mi. due bears S 87° E. 150 miles dist; to  
 Birch 20 " " West. 0.53 " "  
 80.20 To the post cr. of Lst. 23, 24, 25, 126.

**North** Between Lst. 23, 24, S. N. G. RR. 37.  
 32.00 To a Brook 12 miles mid, corner East  
 40.00 Set a post on the cr. of 1/4 mi. from which a  
 Gum 12 mi. due bears N 90° E. 36 miles dist; to  
 W. Oak 20 " " S 67° W. 8 " "  
 49.00 To a W. Oak 18 mi. due in the line.  
 80.00 Set a post on the cr. of Lst. 13, 14, 23, 24 from which  
 a Gum 12 mi. due bears S 49° E. 15 miles dist; to  
 Birch 10 " " N 44° W. 7 " "  
 Sand same as last mile.

**East** Qua Random line between Lst. 13, 24 S. N. G. RR. 37.  
 40.00 Set a tempt post for the cr. of 1/4 mi.  
 50.00 To a Brook 100 yards side, corner South.  
 66.00 " P. 100. " " N.W.  
 80.00 Into cut the N & S. line 12 miles South of Lst. Cr. to  
 13, 24 Sandy same as last mile.

## I. N. 6. N. R. N. 3 W. 2nd Mer. Line:

West On the true line between Sec. 13 & 14 I. N. 6. N. R. N. 3 W.  
 40.00 Set the trumpet post on the true line at the cor. dist  
     for the cor. of  $\frac{1}{4}$  sec. from which  
     Sugar 6 mi. due East N 80° E 9 miles dist; 1 a  
     do. - " " " \$3077.18 , ,  
 80.00 To the cor. of sec. 13. 14. 23 & 24.

North Between Sec 13 & 14 I. N. 6. N. R. N. 3 W.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
     Buck 10 mi. due East N 60° E 41 miles dist; 1 a  
     do. 12, " " N 69° E 23 , ,  
 49.60 To a Brook 20 miles n.e., course East.  
 80.00 Set a post for the cor. of sec. 11. 12. 13 & 14 from which  
     Sugar 20 mi. due East N 21° E 14 miles dist; 1 a  
     N. Oct. 10, " " \$388.3 " "  
     Sand & Soil and timber same as last mile.

East On the true line between Sec. 12 & 13 I. N. 6. N. R. N. 3 W.  
 12.00 To a Brook 100 miles east, course South.  
 40.00 Set a trumpet post on the cor. of  $\frac{1}{4}$  sec.  
 80.00 Continue set the N. & S. line 45 miles North of the  
     post cor. of sec. 12 & 13.  
     Sand & Farms as last mile.

West On the true line between Sec. 12 & 13 I. N. 6. N. R. N. 3 W.  
 40.00 Set the trumpet post at the cor. dist on the true line for the  
     cor. of  $\frac{1}{4}$  sec. from which  
     Wheat 10 mi. due East N 74° N. 9 miles dist & a  
     Buck. 7, " " N 53° E. 9, " "  
 80.00 To the post cor. of sec. 11. 12. 13 & 14

North Between Sec. 11 & 12 I. N. 6. N. R. N. 3 W.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which

V.P. No. 6. N.R. N. 37 M. 2<sup>nd</sup> Mar. (Ind.)

	Pognood. 6 m. west bears. \$19 E. 26 miles dist to Sugar. 10 " " . N36 W. 15 " .
61.50	To a Brook 20 miles west, bears S.E.
66.50	" R. No. 20 " " . S.W.
72.00	" S. No. 20 " " . S.E.
80.00	Set a post on the cor. of sec. 1. 2. 11. & 12. from which a Sugar. 10 m. west bears. \$72 E. 32 miles dist to a Cherry 12 " " . N72 W. 4 " . Sand hills and thick. Timber Beech, Ash, Oaks Poplar.

East	On a random line between Sec. 1. 4. 12. T. N. 6. R. 37. To a Brook. 100 miles west, bears S.
15.50	Set a temp. post on the cor. of sec. 4. sec.
40.00	To a Brook 10 miles west, bears S.W.
78.00	Interset the N.W. line at per 12 miles North of the post cor. of sec. 1. 4. 12.
81.00	Sands forms as last mile.

West	On the true line between Sec. 1. 4. 12. T. N. 6. R. 37. Set the temp. post at the cor. dist; on the true line in the cor. of sec. 4. sec. from which a Beech. 10 m. west bears. N79 E. 23 miles dist to Loc. 10 " " . N62 W. 4 " . To the post cor. of sec. 1. 2. 11. & 12.
40.00	
80.00	

North	Between Sec. 34 & 35. S. N. 6. R. 37.
40.00	Set a post on the cor. of sec. 34 sec. from which a Poplar. 7 m. west bears. \$52 E. 20 miles dist; to Loc. 10 " " . N57 W. 39 " .
80.00	Set a post on the cor. of sec. 26. 27. 34. & 35. from which a sugar. 10 m. west bears. \$35 W. 12 miles dist; to Loc. 12 " " . S57 E. 19 " .

336

P. No 6. N.R. No 3 N. 2<sup>nd</sup> Mer. Ind.

Gundohilly; timber Oak &amp; Hickory

- East On a Random line between Sec. 26, 135 T. N. 6. M.R. 3 N.  
 40.00 Set a trap. post for the cor. of  $\frac{1}{4}$  sec.  
 52.00 To a Brook. 19 miles aside, course E.  
 79.90 Into cut the N.E. 8<sup>th</sup> line 20 miles South of the cor. of  
 Sec. 25, 26. 35 & 36. Finds same select mile.

- West On the true line between Sec. 26, 135 T. N. 6. M.R. 3 N.  
 39.95 Set the trap. post cor. of  $\frac{1}{4}$  sec. at the av. dist on  
 the true line from which  
 Poplar 8 in. dia. bears S 77° W. 28 miles due N.  
 Dogwood 8 in. " " S 38° E. 19 " "  
 79.90 To the cor. of sec. 26, 27, 34, 35

- North Between Sec. 26 & 27 T. N. 6. M.R. 3 N.  
 8.00 To a Brook. 19 miles aside, course East  
 23.00 To a Hickory 19 in. dia. in the line.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 W. Oak 10 in. dia. bears S 15° W. 31 miles due S; to  
 Dogwood 7 in. " " N 34° E. 17 " "  
 47.00 To a spring, course West  
 80.00 Set a post for the cor. of sec. 22, 23, 26 & 27 from which  
 a B. Oak 19 in. dia. bears West. 7 miles due S; to  
 Poplar 12 in. " " S 11° E. 30 " "  
 Finds same select mile.

- East On a Random line between Sec. 23, 126 T. N. 6. M.R. 3 N.  
 40.00 Set a trap. post for the cor. of  $\frac{1}{4}$  sec. from a  
 Cut across the N.E. 8<sup>th</sup> line 18 miles North of post cor.  
 of sec. 23, 24, 25, 126.  
 Finds soil and timber same select mile.

## S. N. C. R. R. No. 3 N. 2nd Mar. 1864.

West Cut the two lines between Sec. 23, 22, S. N. C. R. R. No. 3 N.  
 40.00 Set the trumpet post on the true line at the above dist  
 On the cor. of 44 sec. from which a  
 Poplar 18 mi. near bears South 8 miles west; so  
 B. Oak, 24 " " S. 74 E. 7 " "  
 80.00 To the Post cor. of sec. 22, 23, 26, & 27

West Between Sec. 14 & 23. S. N. C. R. R. No. 3 N.  
 40.00 Set a post on the cor. of 44 sec. from which a  
 Sugar. 7 mi. near bears S. 80 E. 44 miles west; so  
 L. G. 6 " " S. 54 E. 22 " "  
 53.50 To Brook. 12 miles on sec. corner N.E.  
 58.00 P. 20. 12 " " S.E.  
 60.00 " " 20. 12 " " N.E.  
 66.00 To N. Bend of the above Creek.  
 80.00 Set a post on the cor. of sec. 14, 15, 22 & 23 from which  
 W. Oak. 20 mi. near bears East. 25 miles west; so  
 L. 10 " " S. 41 N. 39 " "  
 Under rolling, Timber Oak, & Hickory, W. J. Dogwood  
 Oak, & Hickory

South On a random line between Sec. 22 & 23 S. N. C. R. R. No. 3 N.  
 9.50 Soap Brook. 12 miles on sec. corner East  
 80.20 Intersect the East or West line 55 links East of the cor.  
 of sec. 22, 23, 26, 12.  
 Land. the same as last mile.

North Between Sec. 33 & 34 S. N. C. R. R. No. 3 N.  
 40.00 Set a post on the cor. of 44 sec. from which  
 W. Oak. 12 mi. near bears N. 14 E. 31 links west; so  
 B. Oak. 18 " " N. 54 N. 15 " "  
 81.00 Set a post on the cor. of sec. 27, 28, 33 & 34 from which  
 Dogwood 6 mi. near bears S. 79 N. 32 links west; so 374

T.P.C. M.R.R. 37W. 2nd Mer., Secd.<sup>a</sup>,

Dogwood Cr deer trees \$20 W. 6 miles west;  
some white timber oak, & Hickory.

- East On a random line between Sec. 27 & 34 T. 11<sup>th</sup> R. 37W.  
40.00 Set a temp't post for the cor. of 1/4 sec.  
47.00 To a Brook. 10 miles west, same st.  
80.00 Intersect the N.E.S line 14 miles south of the post cor.  
of sec. 26. 27. 34 & 35.  
Same game as on the last route.

- West On the true line between Sec. 27 & 34 T. 11<sup>th</sup> R. 37W.  
40.00 Set the temp't post at the ave. dist. on the true line  
of the cor. to 1/4 sec. from which a  
W. Oak. 12 in. deer trees \$42 W. 19 miles west; & a  
Hickory 10 " " 14° E. 23 " "  
80.00 To the post cor. of sec. 27. 28. 33 & 34

- North Between Sec. 27 & 28. T. 11<sup>th</sup> R. 37W.  
40.00 Set a post for the cor. of 1/4 sec. from which a  
W. Oak. 12 in. deer trees \$37 E. 19 miles west; &  
10. " " 88° W. 35 " "  
80.00 Set a post for the cor. of sec. 21. 22. 27. 28 from which  
a Hickory 10 in. deer trees \$54 W. 11 miles west; &  
W. Oak. 21. " " 55° E. 33 " "  
Same game under timber same as last mile

- East On a random line between Sec. 22, 23 & 27 T. 11<sup>th</sup> R. 37W.  
40.00 Set a temp't post for the cor. of 1/4 sec.  
79.90 Intersect the N.E.S line 11 miles south of the cor. of  
sec. 22. 23 & 27 Same as last mile.

- West On a random line between Sec. 22, 23 & 27 T. 11<sup>th</sup> R. 37W.  
39.95 Set the temp't post at the ave. dist. on that line

P. P. C. N. R. No. 3 W. 2nd Mar. And<sup>a</sup>

for the cor. of  $\frac{1}{4}$  sec. from which a  
W. Oak. 13 in. dia. bears S47°E. 63' back dist; to  
79.90 To the post cor. of sec. 21. 22. 27. 82.8.

North Between Sec. 21. & 22. I. No. 6. N. R. N. 3 W.  
40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
W. Oak. 12 in. dia. bears N82°N. 22' back dist; to  
P. Oak. 18" " " \$53 E 13 " "  
80.00 Set a post for the cor. of sec. 15. 16. 21. 22. from which  
a Dogwood 6 in. dia. bears S31°E. 14' back dist; to  
W. Oak. 12" " " N44°N. 18" "  
Sanderry bushy; Timber Oak, & Hickory

East On a random line between Sec. 15. & 22. I. No. 6. N. R. N. 3 W.  
40.00 Set a temp. post for the cor. of  $\frac{1}{4}$  sec.  
53.50 To a Brook 10 miles n. & w. corner of  
80.00 Enter set the N & S line 10 miles South of the post  
cor. of sec. 14. 15. 22. 82.3.  
Same same as last mile.

West On the true line between Sec. 15 & 22. I. No. 6. N. R. N. 3 W.  
40.00 Set the temp. post at the ave. dist on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which a  
W. Oak. 10 in. dia. bears S32°E. 18' back dist; to  
Dogwood 7" " " \$57 N. 18" "  
80.00 To the post cor. of sec. 15. 16. 21. 82.2.

North Between Sec. 14 & 15. I. No. 6. N. R. N. 3 W.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a This post  
not established right  
80.00 Set a post for the cor. of sec. 10. 11. 14 & 15 from which a  
W. Oak. 12 in. dia. bears N85°W. 41' back dist; to  
P. 10" " " N44°E. 02" "

## S. N. 6. M.R. N. 3 M. 2nd Mer. Sec.

East	On a Random line between Sec. 11. & 14. S. N. 6. M.R. N. 3 M.
19.50	To a Brook 12 miles wide, Comes S.E.
22.00	" " 10. " " " S.
40.00	Set a temporary post for the cor. of 1/4 sec.
66.50	To a spring Comes South.
79.90	Intersect the N & S line 18 miles South of the post cor. of sec. 11. 12. 13. & 14. Land same as last miles

West	On a Random line between Sec. 11. & 14. S. N. 6. M.R. N. 3 M.
39.95	Set the temporary post at the area dist in the true line for the cor. to 1/4 sec. from which a Dogwood 6 in. dia. bears N 82° W. 39 lvs dist, 10, Hickory 10. " " N 25° W. 3 " "
79.90	S. the post cor. of sec. 10. 11. 14. & 15

North	Between Sec 10. & 11. S. N. 6. M.R. N. 3 M.
11.00	To a Brook 12 miles wide, Comes East.
40.00	Set a post for the cor. of 1/4 sec. from which a Sugar 10 in. dia. bears S 45° E. 21 lvs dist; 2 a Hickory 10. " " N 35° W. 8 " "
46.50	To a Brook 12 miles wide, Comes S.E.
48.50	" " 10. " " " S.W.
80.00	Set a post for the cor. of sec. 2. 3. 10 & 11 from which Poplar 8 in. dia. bears S 69° E. 39 lvs dist; 2 a B. Oak 8. " " S 73° W. 4 " " Sand rolling; Timbo Oak & Hickory; very brushy

East	On a Random line between Sec. 2 & 11. S. N. 6. M.R. N. 3 M.
40.00	Set a temporary post for the cor. of 1/4 sec.
73.50	To a Brook 18 miles wide, Comes S.E.
80.10	Intersect the N & S line cor. of sec. 1. 2. 11. & 12 Sand soil and timber same as last miles.

S.W. 6 N.R. N. 3 W. 2nd Mer. And.

- West On the true line between Sec. 20 & 11 T. N. 6 R. 3 N.  
 40.05 Set the temp. post at the arm. side on the true line  
 for the cor. of the 1/4 sec. from which a  
 Maple 8 in dia. bears S 89° E. 19 links dist; to  
 Hickory 9" " S 21° N. 24" "  
 80.10 To the post cor. of Sec. 2, 3, 10 & 11

- North Between Sec. 15 & 16 T. N. 6 R. 3 N.  
 20.05 To a Brook 8 links wide, turns East  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 B. Oak. 20 in dia. bears N 64° W. 24 links dist; to  
 Dogwood 7" " A 87° N. 27" "  
 80.00 Set a post for the cor. of Sec. 9, 10, 15 & 16 from which a  
 W. Oak. 8 in dia. bears N 64° W. 24 links dist; to  
 Poplar 9" " S 25° N. 6" "  
 Same side and timber same as the last mile

- East On a random line between Sec. 10 & 15 T. N. 6 R. 3 N.  
 40.00 Set a temp. post for the cor. of 1/4 sec.  
 75.50 To a Brook. 5 links wide, turns N.  
 80.00 Intersect the N.E. line 8 links South of the post cor.  
 of Sec. 10, 11, 14 & 15  
 Same as last mile.

- West On the true line between Sec. 10 & 15 T. N. 6 R. 3 N.  
 40.00 Set the temp. post at the arm. side. on the true line  
 for the cor. of 1/4 sec. from which a  
 B. Oak. 24 in dia. bears N 78° N. 23 links dist; to  
 W. Oak. 18" " S 65° N. 16" "  
 80.00 To the post cor. of Sec. 9, 10, 15 & 16.

- North Between Sec. 9 & 10 T. N. 6 R. 3 N.  
 40.00 Set a post for the cor. of 1/4 sec. from which a

D.P.C. P.M. N° 3 P. 2<sup>nd</sup> Mar. And.

- McOak. 12 m. dist. bears S50°W. 15 miles west; to  
Poplar 10 " " . S19E. 20 " "  
57.65 To a McOak. 20 m. dist. Stands on the line.  
80.00 Set a post for the cor. of sec. 3. 4. 9 & 10 from which a  
Poplar. 10 m. dist. bears N57E. 25 miles west; to  
109. 10 " " . N39W. 15 " "  
Sandhill; feet thin. Limber Oak, & Hickory

- East On a Random line between Sec. 3 & 10 T. 11 R. 37  
40.00 Set a temp. post for the cor. of 1/4 sec.  
79.85 Intercept the Atch. line at post. on. of sec. 2. 3. 10 & 11  
Leave soil and timber seems as last onto.

- West On the true line between Sec. 3 & 10 T. 11 R. 37.  
39.92<sup>1/2</sup> Set the temp. post at the cor. dist. on the true line  
for the cor. to 1/4 sec. from which a  
79.5 McOak. 20 m. dist. bears S40W. 15 miles west; to  
Hickory 10 " " . S88E. 55 " "  
79.85 To the post on of sec. 3. 4. 9 & 10.

- North Between Sec. 32 & 33. T. 11 R. 37.  
40.00 Set a post for the cor. of 1/4 sec. from which a  
Hickory 10 m. dist. bears N14E. 9 miles west; to  
McOak. 8 " " . S77W. 21 " "  
67.85 To a Poplar 13 m. dist. Stands on the line.  
80.110 Set a post for the cor. of sec. 28, 29, 32, & 33 from which  
McOak. 13 m. dist. bears S17W. 59 miles west; to  
Dogwood 8 " " . N25E. 4 " "  
Sandhill; Limber Oak, & Hickory.

- East On a Random line between Sec. 28 & 33. T. 11 R. 37  
40.00 Set a temp. post for the cor. of 1/4 sec.  
80.12 Intercept the Atch. line 18 miles south of the post cor.

D.W.C. N.R.R. No. 3 W. 2nd Mer (L.S.D.)

days. 27. 28. 29. 134.

Land soft and timber same as last mile.

West	On a true line between Sec. 28 & 33. T. No 6. R.R. No. 3. W.
40. 06	Set the temp. post for the cor. to 1/4 Sec. at the aver. dist. on the true line from which a W. Oak 20. in. diam. bears S. 37. W. 22. links dist. & a Do. 18. " " " S. 56. E. 41. "
80. 00	To the post cor. of Sec. 28. 29. 32. & 33.

North	Between Sec. 28 & 29. T. No 6. R.R. No. 3. W.
40. 00	Set a post for the cor. to 1/4 Sec. from which a W. Oak 10. in. diam. bears S. 84. E. 18. links dist. & a Do. 12. " " " S. 3. W. 28. "
80. 00	Set a post for the cor. of Sec. 20. 21. 28. & 29. from which a Dogwood 6. in. diam. bears S. 86. W. 21. links dist. & a Do. 6. " " " East 14. " The 1 <sup>st</sup> 1/2 mile over hilly, brushy land. &c.

East	On a Random line between Sec. 21. & 28. T. No 6. R.R. No. 3. W.
20. 00	To a Brook 10. links wide; course N.W.
40. 00	Set a Temp. Post for the cor. to 1/4 Sec.
80. 10	Intersect the A. & G. line 16 links N. of the post cor. of Sec. 21. 22. 27. & 28. Land same as the last mile.

West	On the True line Between Sec. 21. & 28. T. No 6. R.R. No. 3. W.
40. 05	Set the temp. post at the aver. dist. on the true line for the cor. of the 1/4 sec. from which a Hickory 10 in. diam. bears S. 17. W. 20. links dist.; and a W. Oak 12. " " " N. 7. E. 9. "
80. 10	To the post cor. of Sec. 20. 21. 28. & 29.

North	Between Sec. 20. 21. T. No 6. R.R. No. 3. W.
-------	--

344

## P. N. G. M. R. No. 3 J. P. D. M. W. Ind.

40.00	Set a post for the cor. of $\frac{1}{4}$ ac. from which a Sugar 10 in. dia. bears N 25° E. 100 miles due N; & B. Oak. 9" " " N 35° E. 63 " "
65.00	To a Brook 10 miles NNE, Lemoa N.Y.
80.00	Set a post for the cor. of Sec. 16. 17. 21 & 25 from which a W. Oak 10 in. dia. bears N 30° E. 23 miles due N; & Sugar 12" " " S 75° W. 11 " ". Sand & pebbles; Timber Oak, Wm. W.

East	On a Random line between Sec. 16 & 21 T. N. G. M. R. No. 3 N. 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ ac. 19.92 Intersect the N & S line 12 miles North of the post cor. of sec. 15. 16. 21 & 25 Sand & pebbles same as last mile.
------	---

West	On the true line between Sec. 16 & 21 T. N. G. M. R. No. 3 N. 39.96 Set the temporary post on the true line for the cor. of $\frac{1}{4}$ ac. at the cor. due N; from which a B. Oak. 20 in. dia. bears East. 20 miles due S; & Hickory 10" " " North 7" " 19.92 To the post at cor. of sec. 16. 17. 20 & 21.
------	--

North	Between Sec. 16 & 17 T. N. G. M. R. No. 3 N. 40.00 Set a post for the cor. of $\frac{1}{4}$ ac. from which a W. Oak 20 in. dia. bears North 79 miles due S; & Set a post for the cor. of sec. 8. 9. 16. & 17 from which W. Oak 18 in. dia. bears N 71° W. 45 miles due S; & Sap 12" " " S 37° E. 18" " Sand & pebbles same as last mile.
-------	--

East	On a Random line between Sec. 9 & 16 T. N. G. M. R. No. 3 N. 40.00 Set a temporary post on the Random line 1/4 ac. 80.00 Intersect the N & S line 15 miles North of the cor.
------	--

P. N. G. M. R. No 3 T. P. D. n<sup>o</sup> Mar. And.

Feb. 9. 10. 15, & 16.

Finds same as last mile.

West	On the tree line between Sec. 9 & 16. T. N. G. M. R. No 3 T. P.
40.00	Set the temp. post at the ave. dist. in the tree line from the cor. of $\frac{1}{4}$ sec. from which a Wick 12 mi. air bears S 72° E. 53 miles dist; to B. Oak. 12. " " S 85° E. 42. "
81.00	To the post on the line cor. of sec. 8. 9. 16 & 17

North	Between Sec. 8 & 9 T. N. G. M. R. No 3 T. P.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a B. Oak. 20 mi. air bears North 30 miles dist;
80.00	Set a post for the cor. of sec. 4. 5. 8 & 9 from which a B. Oak. 19 mi. air bears N 36° E. 12 miles dist; to Lg. 10. " " S 16° P. 11. " Finds soil and timber same as last mile.

East	On all random line between Sec. 4 & 9 T. N. G. M. R. No 3 T. P.
18.00	To a flat corner. Corner NIV.
45.00	Set a temp. post for the cor. of $\frac{1}{4}$ sec.
79.90	Int. set the NW 8th 12 miles North of the post cor. of Sec. 3. 4. 9 & 10. Finds soil and timber same as last mile.

West	On the tree line between Sec. 4 & 9 T. N. G. M. R. No 3 T. P.
39.95	Set the temp. post at the ave. dist. in the tree line from the cor. of $\frac{1}{4}$ sec. from which a Hognards 6 mi. air bears S 74° E. 19 miles dist; to Lm. 18. " " N 42° P. 23. " To the post cor. of sec. 4. 5. 8 & 9.

North	Between Sec. 31. 1. 32. T. N. G. M. R. No 3 T. P.
-------	---

346

I. N° 6. M.R. N° 3. W. 2<sup>nd</sup> Mar. Ind.

- 6.50 To a Brook. 10 miles west, Corne St. R.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  ac. from which a  
 B. Oak. 20 in. dia. bears S16 E. 23 miles west; & a  
 Hatsby 7" " " N77E. 6" "  
 80.00 Set a post for the cor. of sw. 29. 30. 31. 133 from which  
 a Sum. 8 in dia. bears S29T. 30 miles west; and  
 B. Oak. 20" " " N36 T. 29" "  
 Ground rolling; timber Oak, & Hatsby

- East On a Random line between Sec. 29 & 33 I. N° 6. M.R. 37  
 40.00 Set a temp. post for the cor. of  $\frac{1}{4}$  ac. from a  
 80.00 Intersect the N & S line 10 miles North of the first cor.  
 from sw. 28, 29. 32 & 33.  
 Sand soil and timber same as last mile.

- West On the line between Sec. 29 & 33 I. N° 6. M.R. 37  
 40.00 Set the temp. post at the ave. dist. on the line for  
 the cor. to  $\frac{1}{4}$  ac. from which a  
 Poplar. 12 in. dia. bears S14 E. 18 miles west; &  
 W. Oak. 9" " " S84 E. 20. "  
 80.00 To the post cor. of sw. 29. 30. 31 & 33

- North Between Sec. 29 & 30. I. N° 6. M.R. 37  
 7.40 To a B. Oak. 20 in. dia. stands on the line.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  ac. from which a  
 W. Oak. 12 in. dia. bears N21 E. 14 miles west; & a  
 Dogwood 7" " " S7 E. 37" "  
 80.00 Set a post for the cor. of sw. 19. 20. 29. & 30 from which  
 W. Oak. 12 in. dia. bears N10 E. 19 miles west; & a  
 Ch. 10" " " N38 E. 45" "  
 Ground very hilly & brushy, thin soil;

- East On a Random line between Sec. 20 & 29 I. N.R. 37

S. N. G. N. R. No 3 M. 2nd Mar And.

40.00	Set a temp. post for the cor. of $\frac{1}{4}$ ac.	Set a temp. post for the cor. of $\frac{1}{4}$ ac.
80.00	Interset the N & S line 12 miles North of the post cor. of sec. 21. 21. 28 & 29	Interset the N & S line 12 miles North of the post cor. of sec. 21. 21. 28 & 29
	Sands soil ends timber same as last mile.	Sands soil ends timber same as last mile.
<hr/>		
West	On the true line between Sec. 20 & 29 T. N. 6. M. 37 R.	On the true line between Sec. 20 & 29 T. N. 6. M. 37 R.
40.00	Set the temp. post at the cor. with on the true line from the cor. to $\frac{1}{4}$ ac. from which a	Set the temp. post at the cor. with on the true line from the cor. to $\frac{1}{4}$ ac. from which a
	Hogwood 6 in. dia. hew. 125 ft. 7 inches web; 10,	Hogwood 6 in. dia. hew. 125 ft. 7 inches web; 10,
	Do. 6 " . . . . . 88 ft. 32 "	Do. 6 " . . . . . 88 ft. 32 "
80.00	To the post at the line between Sec. 19. 20. 29 & 30.	To the post at the line between Sec. 19. 20. 29 & 30.
<hr/>		
North	Between Sec. 19 & 20. T. N. 6. M. 37 R.	Between Sec. 19 & 20. T. N. 6. M. 37 R.
29.50	To a W. Oak 10 in. dia. in the line.	To a W. Oak 10 in. dia. in the line.
40.00	Set a post for the cor. of $\frac{1}{4}$ ac. from which a	Set a post for the cor. of $\frac{1}{4}$ ac. from which a
	W. Oak. 10 in. dia. hew. 87 E. 31 inches web; & a	W. Oak. 10 in. dia. hew. 87 E. 31 inches web; & a
	Hickory 7 " " . . . . . 14 E. 12 "	Hickory 7 " " . . . . . 14 E. 12 "
80.00	Set a post for the cor. of sec. 17. 18. 19. & 20 from which a	Set a post for the cor. of sec. 17. 18. 19. & 20 from which a
	P. Oak. 24 in. dia. hew. 835 E. 45 inches web; & a	P. Oak. 24 in. dia. hew. 835 E. 45 inches web; & a
	W. Oak. 12 " " . . . . . 837 ft. 28 "	W. Oak. 12 " " . . . . . 837 ft. 28 "
	Sands soil ends timber same as last mile.	Sands soil ends timber same as last mile.
<hr/>		
East	On a random line between Sec. 17 & 20 T. N. 6. M. 37 R.	On a random line between Sec. 17 & 20 T. N. 6. M. 37 R.
28.00	Foot Brook 12 miles wide, comes N.	Foot Brook 12 miles wide, comes N.
40.00	Set a temp. post for the cor. of $\frac{1}{4}$ ac.	Set a temp. post for the cor. of $\frac{1}{4}$ ac.
80.10	Interset the N & S line at the post cor. of sec. 16. 17. 20 & 21.	Interset the N & S line at the post cor. of sec. 16. 17. 20 & 21.
	Sands same as last mile.	Sands same as last mile.
<hr/>		
West	On the true line between Sec. 17 & 20 T. N. 6. M. 37 R.	On the true line between Sec. 17 & 20 T. N. 6. M. 37 R.
40.05	Set the temp. post with cor. web; on the true line from the cor. of $\frac{1}{4}$ ac. from which a	Set the temp. post with cor. web; on the true line from the cor. of $\frac{1}{4}$ ac. from which a
	P. Oak 6 in. dia. hew. 844 E. 15 inches web; & a	P. Oak 6 in. dia. hew. 844 E. 15 inches web; & a
	Hickory 10 " " . . . . . 128 ft. 13 "	Hickory 10 " " . . . . . 128 ft. 13 "

I. N. G. N. R. N. S. W. 2<sup>nd</sup> Mar. 18<sup>th</sup>,

80.10 To the post cr. of sec. 17, 18, 19 & 20

- North Between Sec. 18 & 17. I. N. G. N. R. N. S. W.
- 13.00 To a Brook 10 miles mid., course N.E.
- 40.00 Set a post for the cr. of  $\frac{1}{4}$  sec. from which a  
W. Walnut 10 in. dia. bears S127°N. 35 miles west; &  
Birch 8" " " N31°W. 44" "
- 40.50 To a Brook 12 miles mid., course West
- 73.00 " 10". 10" " S77°
- 80.00 Set a post for the cr. of sec. 7, 8, 17 & 18. from which a  
Sugar 10 in. dia. bears S58°N. 19 miles west; &  
Dogwood 7" " " N31°E. 28" "  
Sands down as last mile.

- East On a Random line between Sec. 17 & 8 I. N. G. N. R. N. S. W.
- 16.50 To a Spring Ruv. Course South.
- 40.00 Set a temp. post for the cr. of  $\frac{1}{4}$  sec. from which a  
80.00 Intersect the N.W. line 8 miles North of the post cr.  
of sec. 8, 9, 16, 17  
Sands east and timber down as last mile.

- West On the true line between Sec. 8 & 17. I. N. G. N. R. N. S. W.
- 40.00 Set the temp. post at the com. with on the true line  
for the cr. of  $\frac{1}{4}$  sec. from which a  
Hickory 10 in. dia. bears N87°N. 37 miles west; &  
H. 10", " " N84°E. 10" "
- 80.00 To the post cr. of sec. 7, 8, 17 & 18.

- North Between Sec. 7 & 8 I. N. G. N. R. N. S. W.
- 26.00 To a B. Oak. 18 in. dia. stands on the line
- 40.00 Set a post for the cr. of  $\frac{1}{4}$  sec. from which a  
Buck. 9" in. dia. bears N27°N. 18 miles west; &  
H. 10", " " N75°N. 15" "

S. N. G. N. R. N. 3 YR 2<sup>nd</sup> Mer. (Ind.)

73.15 To a N. B. Oak. 24 m. due. W. mds in the line  
Set a post for the cor. of sec. 5. 6. 7 & 8. from which a  
Beech. 19 m. due. bears N 54 E. 34 rods north; & a  
Hickory 12 " " S 9 E. 27 " "  
Ground rolling; sand rich; Timber Poplar, Ash, Oak  
and Birch.

East On a Random line between Sec. 5 & 8 T. N. G. N. R. N. 3 YR.  
40.00 Set a temp. post for the cor. to 1/4 sec.  
65.00 To a Brook. 10 miles n.w., Coopers N.  
80.30 Into set the N & S line at the post cor. off sec. 4 & 5. 8 & 9  
Sand same as the last mile.

West On the true line between Sec. 5 & 8 T. N. G. N. R. N. 3 YR.  
40.15 Set the temp. post at the arr. due north the line  
for the cor. to 1/4 sec. from which a  
Poplar. 18 m. due. bears S 54 W. 17 rods north; &  
Sugar 7 " " S 11 E. 38 " "  
80.30 To the post cor. of sec. 5. 6. 7 & 8.

West Between Sec. 6 & 7 T. N. G. N. R. N. 3 YR.  
40.00 Set a post for the cor. of 1/4 sec.  
80.10 To the post cor. of sec. 1. 2 & 3 T. N. G. N. R. N. 4 YR.  
Sand hilly and thin soil. Timber Oak, & Hickory

West Between Sec. 7 & 8 T. N. G. N. R. N. 3 YR  
34.00 To a Brook. 13 miles n.w., Coopers N.  
40.00 Set a post cor. of 1/4 sec. from which a  
Hogwood 6 m. due. bears S 84 W. 21 rods east; &  
Sassafras. 8 " " S 2 E. 12 " "  
65.00 To a Gum 12 m. due. bears in the line  
79.75 Set a post on the West Bound. 71 1/2 rods N. of the  
post cor. of sec. 12 & 13 T. N. G. N. R. N. 4 YR. From  
which a Hogwood 7 m. due. bears N 85 E. 15 rods due

## I. N. C. R.R. N. 3 M. 2nd Mer. Sec.:

and a Dogwood. 7 mi dist. bears N 24° W. 12 lbs drift,  
Land very hilly; timber same as last mile.

- West Between Sec. 18 & 19 I. N. C. R.R. N. 3 M.  
40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
Hickory 10 in dia. bears S 38° E. 15 links drift; &  
W. Oak. 10 " " N 70° W. 31 " .  
81.75 Set a post on the N. Boundary (100 links N. West of  
the post cor. of sec. 13 & 24. I. N. C. R.R. N. 4 M. from  
which a Poplar 10 in dia. bears S 25° W. 14 links drift  
and a W. Oak. 10 " " N 42° E. 15 " "  
Land & timber same as last mile

- West Between Sec. 19 & 30 I. N. C. R.R. N. 3 M.  
40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
B. Oak. 18 in dia. bears S 24° E. 5 links drift; &  
Ll. " " " S 74° W. 23 " .  
46.00 Soak Brook 10 links west, comes N. W.  
53.10 " " W. Oak. 12 in dia. stands on the line  
81.00 To the post cor. of sec. 24 & 25. I. N. C. R.R. N. 4 M.  
Land & timber same as last mile.

- West Between Sec. 30 & 31 I. N. C. R.R. N. 3 M.  
18.95 To a W. Oak 10 in dia. stands on the line  
40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
W. Oak. 20 in dia. bears S 70° W. 8 links drift; &  
Dogwood 7 " " S 59° E. 8 " .  
80.19 Set a post on the West Boundary (14 links South of  
the post cor. of sec. 25 & 36. I. N. C. R.R. N. 4 M.) from  
which a W. Oak 9 in. dia. bears N 43° E. 10 lbs drift;  
and a Dogwood 7 " " S 45° E. 35 " .  
Land rolling; timber Oak & Hickory

S. N<sup>o</sup> 6. N.R. N<sup>o</sup> 3 W. 2nd Mer. Quad.

North	Return Sel. 546. S. N <sup>o</sup> 6. N.R. N <sup>o</sup> 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which a Hickory 10 in dia. bears 311 E. 148 links north; by To a Brook 40 links south, Course S.W.
53.20	Intersect the N Boundary 100 links East of the post cor. of sel. 311.37. S. N <sup>o</sup> 7. N.R. N <sup>o</sup> 3 W., and set a post for the cor. of sel. 546. from which a Sugar 10 in dia. bears N43 W. 14 links west; by D.O. 12. " " S38 W. 25. "
93.17	Sands very hilly; Timber Oak, & Hickory.

North	Return Sel. 445 S. N <sup>o</sup> 6. N.R. N <sup>o</sup> 3 W.
11.00	To a Brook. 12 links wide, Course N.
40.00	Set a post for the cor. of 1/4 sec. from which a Dogwood 6 in dia. bears N53 E. 6 links west; by W. Oak. 10 " " S24 E. 4. "
90.63	Intersect the N Boundary. 37 links East of the post cor. of sel. 321.33. S. N <sup>o</sup> 7. N.R. N <sup>o</sup> 3 W., set a post for the cor. of sel. 445 from which a Beech. 12 in dia. bears S68 W. 27 links west; by Dogwood 4. " " S19 E. 11. "
	Sands soil and timber scarce as last mile.

North	Return Sel. 384 S. N <sup>o</sup> 6. N.R. N <sup>o</sup> 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which a Gum 12 in dia. bears South 20 links east; by
88.90	Intersect the N Boundary at the post cor. of sel. 33.634 S. N <sup>o</sup> 7. N.R. N <sup>o</sup> 3 W. Sands soil and timber scarce as last mile.

North	Return Sel. 213. S. N <sup>o</sup> 6. N.R. N <sup>o</sup> 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which a Sugar. 6 in dia. bears N62 E. 14 links west; by

(T. N<sup>o</sup>. 6. R.R. R<sup>o</sup> 3 T. 2<sup>nd</sup> Rm. (A.M.)

- W. Oak. 36 m. dist. bears S 1 E. 55 deg. due; 87.75 To a W. Oak 12 m. dist. bears S 1 E. 55 deg. due. 213. 54 link East of the post cor. of sec. 34 & 35 T. N<sup>o</sup>. 7. R.R. R<sup>o</sup> 3 T. 2  
Sand soil and timber same as last miles.

- North Between Sec. 1 & 2. T. N<sup>o</sup>. 6. R.R. R<sup>o</sup> 3  
40.00 Set a post on the cor. of 94 sec. From which a Beech. 13 m. dist. bears North 44 deg. due; 85.90 To the post cor. of sec. 35 & 36. T. N<sup>o</sup>. 7. R.R. R<sup>o</sup> 3 T.  
Sand soil and timber same as last miles

*Surveyed by*  
Arthur Henrie G.S.

1811

I certify that the foregoing transcript of the field notes of Township N<sup>o</sup>. 6. North of Range N<sup>o</sup>. 3 West of the 2<sup>nd</sup> Meridian, Indiana, has been compared with the original notes in this Office & found to be correct.

Surveyor General's Office,  
Cincinnati, Dec. 15. 1840. Q. S. Peirce  
Sur. Gen.